

Work Order ID 50754

July 21, 2009 1:35:29 PM

Page 1

Item ID: D3405-041

Accept

Revision ID: B

Item Name: Lug Assembly

Start Date: 07/22/2009 Start Qty: 4.00

Required Date: 07/31/2009 Req'd Qty: 4.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan: *mf*

Date: *09-07-27*

Tooling:

Date:

QC:

Date:

SPC (Y/N):

Date:

Run

Start

Stop

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Draw Number	Draw Rev.	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	----------------	--------------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3405	Rev B

100 0.00



Waterjet

FLOW WATER JET

Memo

0.00

FLOW CNC Waterjet

1-Cut as per Dwg D3405 ☐ Dwg Rev: *B* ☐ Prog Rev: *B* ☐ 2-
Debur if necessary

B 9-7-27

(7)

110 0.00



QC

QC2- Inspect parts off machine FAI/FAIB

Memo

0.00

Quality Control

B 9-7-27

120 0.00



QC

QC8- Inspect parts - second check

Memo

0.00

Quality Control

2) 502/4/27

** (27) 4*

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 50754

July 21, 2009 1:35:29 PM



Page 2

Item ID: D3405-041

Accept



Setup Start



Revision ID: B

Item Name: Lug Assembly

Stop



Start Date: 07/22/2009 Start Qty: 4.00



Cust Item ID:

Required Date: 07/31/2009 Req'd Qty: 4.00



Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start



QC:

Date:

SPC (Y/N):

Date:

Stop



Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

130

0.00



NC BRAKE

Brake NC

Memo

0.00

SB 07/22/11

7

0

Brake NC

Deburr Form using DT8204 as per Dwg D3405

140

0.00



QC5- Inspect part completeness to step on W/O

QC

Memo

0.00

2) S 07/22/11

7

0

Quality Control

150

0.00



Large Fab

Large Fab

Memo

0.00

EL 9-8-21

7

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 50754



Page 3

July 21, 2009 1:35:29 PM

Item ID: D3405-041

Accept



Setup Start



Revision ID: B

Stop



Item Name: Lug Assembly

Start Date: 07/22/2009 Start Qty: 4.00



Cust Item ID:

Required Date: 07/31/2009 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center ID

Operation
Description

Set Up/
Run Hours

Draw
Number

Draw
Rev.

Plan
Code

Accept
Qty

Reject
Qty

Reject
Number

Insp.
Stamp

160

QC9- Inspect visual per QSI004- Fusion Welds

0.00



QC

Memo

0.00

09-08-20

Quality Control

170

QC5- Inspect part completeness to step on W/O

0.00



QC

Memo

0.00

2) 09/08/21

(7) f

Quality Control

180

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00



Powdercoat

Memo

0.00

M112260

M 2) 09/08/24

(XZ) d

Powder Coating

START TIME:

1:30pm

OVEN TEMPERATURE:

2:00pm FINISH TIME:

400°F

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Work Order ID 50754

July 21, 2009 1:35:29 PM



Page 4

Item ID: D3405-041

Accept



Setup Start



Revision ID: B

Stop



Item Name: Lug Assembly

Start Date: 07/22/2009 Start Qty: 4.00



Cust Item ID:

Required Date: 07/31/2009 Req'd Qty: 4.00



Customer:

Reference:

Run Start



Approvals:

Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run HoursDraw
NumberDraw
Rev.Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

190

QC3- Inspect Part Finish

0.00



QC

Memo

0.00

Quality Control

B/S 09-08-24



200

Identify as per dwg & Stock Location:

474

0.00



Packaging

Memo

0.00

Packaging

9/8/26 (7u) SP

210

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

09/08/26 HJ

B/S 09-8-24 (7)

Dart Aerospace Ltd

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____
 QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Picklist Print

July 21, 2009 1:35:28 PM

Page 1

Work Order ID: 50754

Parent Item: D3405-041RevB

Parent Item Name: Lug Assembly

Comments:

Start Date: 07/22/2009

Required Date: 07/31/2009

Start Qty: 4.00

Required Qty: 4.00

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Remaining Qty To Pick	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	--------------------------	---------------	----------------	--------

D3404-1RevC

Manufactured

No

100

Each

8.0000

4.0000



GHW Lug

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

ST

8

45372

8

M304S11GA

Purchased

No

150

sf

108.5733

0.6484



304/316 0.125 Sheet

Warehouse

Loc Qty

Loc Code

Location

Main Warehouse

MAT

108.5732632

111018

108.573263

B50252 Not in
computer
yet

EL 7-8-20

111 018 189-7-27

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____


QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			


NOTE: Date & initial all entries

ITEM No.	QTY. -041	QTY. -043	PART NUMBER	DESCRIPTION
1	X		D3405-041	LUG ASSEMBLY
2		X	D3405-043	LUG ASSEMBLY
11	1	1	D3404-1	GHW LUG
12	1		D3405-1	GHW BRACKET
13		1	D3405-3	GHW BRACKET

△B



D3405-041 LUG ASSEMBLY
(SKID TUBE SECTION SHOWN
FOR REF ONLY)



D3405-043 LUG ASSEMBLY
(SKID TUBE SECTION SHOWN
FOR REF ONLY)


50754

RELEASED
08/12/18



NOTES:

- 1) MATERIAL: N/A
- 2) FINISH: POWDER COAT ASSEMBLY WHITE (4.3.5.2) PER DART QSI 005 4.3
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D3405-041" USING FINE POINT PERMANENT INK MARKER
: IDENTIFY WITH DART P/N "D3405-043" USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: -041, 0.85 lbs
-043, 0.87 lbs


B	DRAWING REDRAWN IN SOLIDWORKS WITH CURRENT STANDARDS AND TRANSFERRED TO "B" SIZE BORDER. FLAT PATTERNS FOR -1 & -3 INCREASED IN LENGTH TO PREVENT FOULING AT INSTL (SEE PAR198). SHEETS 3 & 4 ZONE A6 4.120 DIM WAS 4.100.		AJS	08.09.19
A	NEW ISSUE		PH	05.03.08
REV.	DESCRIPTION		BY	DATE
DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA		
DRAWN	AJS			
CHECKED		DRAWING NO.	REV. B	
MFG. APPR.		D3405	SHEET 1 OF 4	
APPROVED		TITLE	SCALE	
DE APPR.		GHW LUG ASSEMBLY	NTS	
DATE	08.09.19		<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	



D3405-041 LUG ASSEMBLY




D3405-043 LUG ASSEMBLY




30754

RELEASED
06/12/18


DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3405	REV. B
MFG. APPR.		TITLE	SHEET 2 OF 4
APPROVED		GHW LUG ASSEMBLY	SCALE
DE APPR.			NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	



D3405-1F GHW BRACKET FLAT PATTERN







D3405-1 GHW BRACKET
(MAKE FROM D3405-1F)




SIDE VIEW FOR REF ONLY

NOTES:


- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 11 GAUGE (0.125 THICK)
PER MIL-S-5059 (ANNEALED) 2B FINISH OR AMS 5513/5524
REF. DART SPEC. M304S11GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	PH	DART AEROSPACE LTD	
DRAWN	AJS	HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. B
MFG. APPR.		D3405	SHEET 3 OF 4
APPROVED		TITLE	SCALE
DE APPR.		GHW LUG ASSEMBLY	NTS
DATE	08.09.19	COPYRIGHT © 2005 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>	


50754
RELEASED
08/12/18



D3405-3F GHW BRACKET FLAT PATTERN



D3405-3 GHW BRACKET
(MAKE FROM D3405-3F)



SIDE VIEW FOR REF ONLY

50754

RELEASED
08/12/18 NV

NOTES:

- 1) MATERIAL: AISI 304/316 STAINLESS STEEL SHEET, 11 GAUGE (0.125 THICK)
PER MIL-S-5059 (ANNEALED) 2B FINISH OR AMS 5513/5524
REF. DART SPEC. M304S11GA
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: N/A

DESIGN	PH	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN	AJS		
CHECKED		DRAWING NO. D3405	REV. B SHEET 4 OF 4
MFG. APPR.		TITLE GHW LUG ASSEMBLY	SCALE NTS
APPROVED		<small>COPYRIGHT © 2005 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	
DE APPR.			
DATE	08.09.19		